

|   | Hits | Search Text  | DBs   |
|---|------|--|---|
| 1 | 2256 | root and (model\$1 with (director\$3 or categor\$3 or group\$3 or list\$1)) and @ad < "20010815"                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 2 | 1047 | L1 and ((element\$1 or item\$1 or record\$1) with (director\$3 or categor\$3 or group\$3 or list\$1))                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 3 | 169  | L2 and ((variable or varying or varied or not\$1fixed or unfixed) with (size\$1 or length\$1))                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 4 | 18   | L3 and compress\$5 and encrypt\$5 and ((utmost or most or highest or maximum) with (element\$1 or item\$1 or record\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 5 | 18   | L4 and (locat\$5 or allocat\$5)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 6 | 16   | L5 and header\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Hits | Search Text  | DBs   |
|----|------|--|---|
| 7  | 15   | L6 and (lan or (local adj area<br>adj network\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 8  | 15   | L7 and internet                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 9  | 13   | L8 and intranet                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 10 | 13   | L9 and header\$1                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 11 | 13   | L10 and (file\$1 or document\$)                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 12 | 13   | l11 and graphic\$3                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Hits | Search Text   | DBs   |
|----|------|---|---|
| 13 | 13   | 112 and stream\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 14 | 0    | 113 and (computer adj aided<br>adj design\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 15 | 0    | 113 and manifest\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 16 | 11   | 113 and propert\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 17 | 5    | (( "6134243" ) or ( "7565164" ) or<br>( "5627936" ) or ( "6167409" ) or<br>( "5778395" ) or<br>( "5815415" ) ) .PN. | USPAT   |
| 18 | 5    | 117 and header\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 19 | 2    | 118 and model\$1  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Hits | Search Text         | DBs   |
|----|------|---------------------|---|
| 20 | 1    | 119 and manifest\$5 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 21 | 1    | 119 and 11          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 22 | 0    | 121 and 14          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 23 | 0    | 121 and 13          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 24 | 0    | 121 and encrypt\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 25 | 1    | 121 and compress\$4 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Hits  | Search Text   | DBs   |
|----|-------|---|---|
| 26 | 13    | L9 and header\$1  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 27 | 17612 | stor\$5 same large same file\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 28 | 5955  | stor\$5 with large with file\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 29 | 28    | l28 and root and (model\$1 with<br>(director\$3 or categor\$3 or<br>group\$3 or list\$1)) and @ad <<br>"20010815"                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 30 | 0     | L30 and compress\$5 and<br>encrypt\$5 and ((utmost or most<br>or highest or maximum) with<br>(element\$1 or item\$1 or<br>record\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 31 | 0     | L29 and compress\$5 and<br>encrypt\$5 and ((utmost or most<br>or highest or maximum) with<br>(element\$1 or item\$1 or<br>record\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|    | Hits | Search Text   | DBs   |
|----|------|---|---|
| 32 | 10   | L29 and ((variable or varying or varied or not\$1fixed or unfixed) with (size\$1 or length\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 33 | 18   | L29 not 130   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |